

Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ECOSBreeze Room Spray, Parsley

Description / Product Code: 9326

Registration number: Substances contained in the mixture have already (pre)-registered by the suppliers.

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Odor Remover/Eliminator –Non-Aerosol

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Venus Labs/dba Earth Friendly Products 111. S Rohlwing Rd Addison, IL 60101

Phone: 800-595-1900 Chemtrec: 800-424-9300

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void

Signal word: Void

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

(Contd. of page 1)

3.2 Chemical characterisation	n: Mixtures	
Description: Mixture of subs	tances listed below with nonhazardous additions.	
Ingredients according Regu	ation (EU) 830/2015:	
CAS: 64-17-5	ethanol	3.94%
EINECS: 200-578-6	♠ Flam. Liq. 2, H225	
Index number: 603-002-00-5	•	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Remove contaminated clothing.

In case of skin irritation, consult a physician.

After eye contact: Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

6.1.2 For emergency responders Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

(Contd. of page 2)

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

DNELs

Ethanol cas number: 64-17-5

Workers long-term exposure systemic effects via inhalation route: 950 mg/m³

Workers acute/short term exposure local effects: 1900 mg/m³

Workers systemic effects long-term exposure via dermal route: 343 mg/kg bw/day General Population systemic effects long-term exposure via inhalation route: 114 mg/m³ General Population local effects acute/short term exposure via inhalation route: 950 mg/m³ General Population systemic effects long term exposure via dermal route: 206 mg/kg bw/day General Population systemic effects long term exposure via oral route: 87 mg/kg bw/day

PNECs

Ethanol cas number: 64-17-5 Freshwater: 0.96 mg/l Marine water: 0.79 mg/l Intermittent releases: 2.75 mg/l

STP: 580 mg/l

Sediment (freshwater): 3.6 mg/kg sediment dw

Sediment (marine water): 2.9 Soil: 0.63 mg/kg soil dw

(Contd. on page 4)



Version number 1 Printing date 22.03.2018 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

DNEL Workers Long term exposure local effcts

(Contd. of page 3)

Ethanol (CAS 64-17-5) Inhlation: 1900 mg/m³

DNEL Workers Long term exposure systemic effects

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m³

Skin Contact: 343 mg/kg bw/day

DNEL consumers Acute/short term exposure Local effects

Ethanol (CAS 64-17-5) Inhalation: 950 mg/m³

DNEL Consumers Long-term exposure systemic effects

Ethanol (CAS 64-17-5) Inhalation: 114 mg/m³

Skin Contact: 206 mg/kg bw/day

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands:

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: In processing and repackaging where is possible the eye-contact wear safety glasses. **Body protection:** Not required under normal conditions of use.

SECTION 9: Physical and chemic	al properties
9.1 Information on basic physical a General Information	and chemical properties
Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	Characteristic of the perfume
	Parsley
Odour threshold:	Not determined
pH value:	7-9
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not determined
Flammability (solid, gaseous):	Not applicable
Auto-ignition temperature:	Not determined

(Contd. on page 5)



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

		(Contd. of page
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not considered as oxidising.	
Vapour pressure:	Not determined	
Density:	Not determined	
Relative density	0.999	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Fully miscible	
Partition coefficient (n-octanol/wat	ter): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic:	Not determined	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions
- **10.2 Chemical stability** Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5** Incompatible materials No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values	relevant	t for c	lassification:

64-17-5 ethanol

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	20000 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

(Contd. of page 5)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Ethanol, cas: 64-17-5

Fish toxicity LC50:> 10000 mg / 1

Daphnia toxicity, CEE0:> 7800 mg/1

Bacterial toxicity (Ps putida) CEE0:> 6500 mg / 1

Algal toxicity (SC. Quadricauda), CEE0:> 5000 mg / 1

Algal toxicity (M. Acruginosa), CEE0:> 1450 mg/l

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

Contact manufacturer for recycling information.

(Contd. of page 6)

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number	W I	
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



Printing date 22.03.2018 Version number 1 Revision: 23.03.2018

Trade name: ECOSBreeze Room Spray, Parsley

(Contd. of page 7)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3