

Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ECOS Oxo Brite

Description / Product Code: 9751 **Registration number:** Substances contained in the mixture have already (pre)-registered by the suppliers.

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture:** Cleaning Product/ Detergent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Venus Labs/dba Earth Friendly Products 111. S Rohlwing Rd Addison, IL 60101 Phone: 800-451-9304 Chemtrec: 800-424-9300 1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS03 flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidiser.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements Labelling according to Regulation EC No 1272/2008 CLP: The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 1)

Hazard pictograms:



Signal word: Warning

Hazard statements:

H272 May intensify fire; oxidiser. H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: National Poisoning Centre

Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents

2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Ingredients according Regulation (EU) 830/2015:

CAS: 497-19-8	sodium carbonate	25-50%
EINECS: 207-838-8	Eye Irrit. 2, H319	
Index number: 011-005-00-2		
CAS: 15630-89-4	disodium carbonate, compound with hydrogenperoxide (2:3)	2.5-<7.5%
EINECS: 239-707-6	🚸 Ox. Sol. 3, H272; 🍕 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

5 - 15%



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 2)

Seek immediate medical advice.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact: In case of skin irritation, consult a physician.

After eye contact: Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Self contained breathing apparatus and full protective clothing must be worn in case of fire. **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

6.1.2 For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required. Open and handle receptacle with care. Prevent formation of dust.



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 3)
Information about fire - and explosion protection: Keep respiratory protective device available.
7.2 Conditions for safe storage, including any incompatibilities
Storage: Store in cool, dry conditions in well sealed receptacles.
Requirements to be met by storerooms and receptacles:
Store in a cool location.
Suitable material for receptacles and pipes: lead.
Information about storage in one common storage facility: Store away from flammable substances.
Further information about storage conditions:
Keep container tightly sealed.
Do not seal receptacle gas tight.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands:



Protective gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eye protection:**



Tightly sealed goggles

(Contd. of page 4)

ATH FRIETS

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

Body protection: Not required under normal conditions of use.

SECTION 9: Physical and chemical properties

Animotination of value project and project allows General Information Appearance: Form: Solid Colour: Not determined Odour threshold: Not determined PH value at 20 °C: 10.5-11 Melting point/Melting range: Not determined Boiling point/Melting range: Not determined Boiling point/Melting range: Not determined Flash point: Not applicable Not Flammable Flammability (solid, gaseous): Not determined Decomposition temperature: Not determined Self-igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined Upper: Not determined Oxidising properties Oxidising Category 3 Vapour density Not determined	9.1 Information on basic physical a	nd chemical properties
Appearance:SolidForm:SolidColour:Not determinedOdour:CharacteristicOdour threshold:Not determinedpH value at 20 °C:10.5-11Melting point/Melting range:Not determinedBoiling point/Molling range:Not determinedBoiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Itage and applicable Not determinedLower:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedNot applicable Relative densityNot determinedVapour densityNot applicableSolubility in / Miscibility with water:InsolublePartition ceefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNotagplicableNot applicable		nu chemicai properties
Form:SolidColour:Not determinedOdour threshold:Not determinedpH value at 20 °C:10.5-11Melting point/Melting range:Not determinedBolling point/Melting range:Not determinedBolling point/Bolling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedBeeromposition temperature:Not determinedDanger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedPonsity: Relative densityNot applicableNot applicableNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable		
Odour:CharacteristicOdour threshold:Not determinedPH value at 20 °C:10.5-11Melting point/Melting range:Not determinedBoiling point/Boiling range:Not determinedBoiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedNot applicable Relative densityNot determinedNot applicable Evaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable		Solid
Odour threshold:Not determinedPH value at 20 °C:10.5-11Melting point/Melting range:Not determinedBoiling point/Boiling range:Not determinedBoiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:LLower:Not determinedOxidising propertiesOxi determinedOxidising Category 3Not applicablePensity:Not determinedRelative densityNot applicableVapour densityNot applicableEvaporation rateNot applicablePeratition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicablePartition coefficient (n-octanol/water):Not determined	Colour:	Not determined
pH value at 20 °C:10.5-11Melting point/Melting range:Not determinedBoiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not determinedLower:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not applicableNot determinedNot determinedVapour densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolubleViscosity: Dynamic:Not applicableNot applicableInsoluble		
Melting point/Melting range:Not determinedBoiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determinedLower:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedVapour densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolubleViscosity: Dynamic:Not applicableViscosity: Dynamic:Not applicable	Odour threshold:	Not determined
Boiling point/Boiling range:Not determinedFlash point:Not applicable Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:ImplicableLower:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedNot determinedNot determinedVapour densityNot determinedVapour densityNot determinedSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNot applicableNot applicable		10.5-11
Flash point: Not applicable Not Flammable Flammability (solid, gaseous): Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Decomposition temperature: Not determined Self-igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: Not determined Lower: Not determined Oxidising properties Oxidising Category 3 Vapour pressure: Not determined Density: Not determined Relative density Not determined Vapour density Not applicable Evaporation rate Not applicable Solubility in / Miscibility with water: Insoluble Partition coefficient (n-octanol/water): Not determined Viscosity: Dynamic: Not applicable		
Not FlammableFlammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determinedLower:Not determinedOxidising propertiesNot determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedDensity:Not determinedRelative densityNot determinedVapour densityNot determinedSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNot sapplicableNot applicablePartition coefficient (n-octanol/water):Not determined	Boiling point/Boiling range:	Not determined
Flammability (solid, gaseous):Not determinedAuto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Composition temperature:Lower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNot applicableInsoluble	Flash point:	
Auto-ignition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not determinedLower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable		Not Flammable
Decomposition temperature:Not determinedDecomposition temperature:Not determinedSelf-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:VolumeLower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not determinedDensity:Not determinedRelative densityNot determinedVapour densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNot applicableNot applicable	Flammability (solid, gaseous):	Not determined
Self-igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot does not present an explosion hazard.Lower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable	Auto-ignition temperature:	Not determined
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Product does not present an explosion hazard.Lower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:ImsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicableNot applicableNot determined	Decomposition temperature:	Not determined
I in the second	Self-igniting:	Product is not selfigniting.
Lower:Not determinedUpper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable	Danger of explosion:	Product does not present an explosion hazard.
Upper:Not determinedOxidising propertiesOxidising Category 3Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable	Explosion limits:	
Oxidising propertiesOxidising Category 3Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable		
Vapour pressure:Not applicableDensity:Not determinedRelative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable		
Density: Not determined Relative density Not determined Vapour density Not applicable Evaporation rate Not applicable Solubility in / Miscibility with water: Insoluble Partition coefficient (n-octanol/water): Not determined Viscosity: Dynamic: Not applicable	Oxidising properties	Oxidising Category 3
Relative densityNot determinedVapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable	Vapour pressure:	Not applicable
Vapour densityNot applicableEvaporation rateNot applicableSolubility in / Miscibility with water:InsolublePartition coefficient (n-octanol/water):Not determinedViscosity: Dynamic:Not applicable	Density:	Not determined
Evaporation rate Not applicable Solubility in / Miscibility with water: Insoluble Partition coefficient (n-octanol/water): Not determined Viscosity: Not applicable Dynamic: Not applicable		Not determined
Solubility in / Miscibility with water: Insoluble Partition coefficient (n-octanol/water): Not determined Viscosity: Not applicable	1 0	
water: Insoluble Partition coefficient (n-octanol/water): Not determined Viscosity: Not applicable	Evaporation rate	Not applicable
Partition coefficient (n-octanol/water): Not determined Viscosity: Dynamic: Not applicable	Solubility in / Miscibility with	
Viscosity: Dynamic: Not applicable	water:	Insoluble
Dynamic: Not applicable	Partition coefficient (n-octanol/wate	er): Not determined
Kinematic: Not applicable		
	Kinematic:	Not applicable
		(Contd. on pag

(Contd. of page 5)



Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 10.09.2016Version number 1Revision: 10.09.2016

Trade name: ECOS Oxo Brite

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.

10.5 Incompatible materials Flammable substances

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 16677 mg/kg (rat)

497-19-8 sodium carbonate

Oral LD50 4090 mg/kg (rat)

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral LD50 1034 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 6)

12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN-Number ADR, IMDG, IATA	UN1479	
14.2 UN proper shipping name ADR IMDG, IATA	1479 OXIDIZING SOLID, N.O.S. OXIDIZING SOLID, N.O.S.	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	5.1 Oxidising substances.	
Label	5.1	
14.4 Packing group		
ADR, IMDG, IATA	III	
14.5 Environmental hazards:	Not applicable.	
		(Contd. on page 8



rinting date 10.09.2016	Version number 1	Revision: 10.09.2016	
rade name: ECOS Oxo Brite			
		(Contd. of page	
14.6 Special precautions for user	Warning: Oxidising substances.		
Danger code (Kemler):	50		
EMS Number:	F-A,S-Q		
Stowage Category	B		
Segregation Code	SG38 Stow "separated from" am	monium compounds.	
	SG49 Stow "separated from" cya	nides	
	SG60 Stow "separated from" per	oxides	
	SG61 Stow "separated from" pow	vdered metals	
14.7 Transport in bulk according to	Annex II of		
Marpol and the IBC Code	Not applicable.		
Transport/Additional information:			
ADR			
Limited quantities (LQ)	5 kg		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 g		
	Maximum net quantity per outer	packaging: 1000 g	
Transport category	3		
Tunnel restriction code	E		
IMDG			
Limited quantities (LQ)	5 kg		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner	packaging: 30 g	
	Maximum net quantity per outer		
	UN 1479 OXIDIZING SOLID, N.O.S., 5.1, III		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Detergent Regulation No. 648/2004/EC
CLP Regulation No. 1272/2008/EC
Regulation (EU) 2015/830
Regulation REACH (EC) 1907/2006
Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.
Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agent

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

(Contd. on page 9)



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 8)

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category P8 OXIDISING LIQUIDS AND SOLIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

> (Contd. on page 10) GB



Printing date 10.09.2016

Version number 1

Revision: 10.09.2016

Trade name: ECOS Oxo Brite

(Contd. of page 9)

GB

Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2